GOVERNMENT ENGINEERING COLLEGE, KOZHIKODE				
NOTICE INVITING E-TENDER				
No.P1/2515/2023	Dated : 28/11/2023			
Tender No.	P1/08/2023-24			
Subscription	Supply of Desktop computers, Laptop computers, Projector, Printer etc for various sections of this institution.			
Last date and time of receipt of tender	27/12/2023 3 PM On the website (www.etenders.kerala.gov.in)			
Date and time of opening of tender	28/12/2023 3 PM			
Bid Validity	120 days			
Bidding Fee	₹. 14000/- + GST 2520/-			
E.M.D required	₹.93,133/-			

Conditions:

Price : Should include all charges and taxes which specifically stated.

Payment : Will be made only after the successful supply, installation of the items as per supply order

Delivery F.O.R : Govt. Engineering College, Kozhikode.

Agreement : Preliminary Agreement in Kerala Stamp Paper worth ₹.220/-

(Preliminary Agreement shall be uploaded without fail otherwise bid will not be considered)

Delivery Condition : Within 4 to 6 weeks from the Supply Order
Guarantee/Warrantee : Specified in the specification of items list

Date of opening : In case the proposed date declared as holiday, the tender will be opened on the

next working day in the same time.

Special Conditions

- The bidder must furnish name of institutions (under this department and others) in Kerala where the same items were supplied.
- Proforma Report/Original Pamphlet/Warranty Certificate/Preliminary Agreement in Kerala stamp Paper worth
 ₹.220/- are required
- The demonstration of the item/equipment will have to be arranged by the bidder before the evaluation committee during technical evaluation and if any of the items/equipment is not found suitable and/or up-to-the mark by the Committee, the same shall be liable to be rejected.
- The firm must have proven knowledge and expertise in standard system installation, commissioning and providing training.
- The price must be quoted in INR ₹
- After E-tendering the hard copies of all the tender documents except BOQ/Schedule should be submitted to the Principal, Government Engineering College, Kozhikode and cover should be superscribed with the tender id, closing date and opening date of the tender.

NB: The tender procedure will be made as per Rules mentioned in the Revised Store Purchase Manual. The bidders should participate this tender through E-tendering System. Tender cost and EMD should be submitted only through online. For more details contact phone number 0495 2383210

. PRINCIPAL

Approval Valid

Digitally Approved By Dr.P C Reghu Raj Date: 28.11.2023

Sl.No.		Quantity
1.	Desktop Computers Medium End windows 11	45 Nos
	Professional (Intel Processor)	
	Processor: Intel Core i3 10100 @3.6 GHz/10105@ 3 7GHz 4 cores GNAP	
	cache, TDF- 65VV	
	Chipset: compatible Chipset	
	Motherboard: OEM Motherboard	
	Memory: 8 GB DDR RAM upgradable to 32 GB.	
	Hard Disk Drive: 512 GB SSD	
	Monitor: 19.5 inch or larger TFT/LED HD Digital Colour Monitor. same	
	make as FC	
	Keyboard: USB interface. Keyboard. Same make as PC.	
	Mouse: Optical with USB interface. Same make as PC.	
	Chassis: Chassis less than 16 L	2/8
	Ports: 6 USB Ports or more at least 2 USB 3.0 ports and two ports in	19
	Horit parier (atleast 1 should be	
	USB 3.0), HDMI, Audio ports.	<u></u>
	Networking facility: 10/100/1000 on board integrated Network Port, &	T _i
	Will 602.11 b/g/ii connectivity Certifications:	
	a. EPEAT Registered/ROHS Compliance for Product b. ISO 14001 for OEM	s r
		2
	Warranty: 5-year comprehensive on-site warranty including Monitor, Mouse & Keyboard	31
	Operating System: Windows 11 Pro	
1.1	Deskton Computers Medium 5 1 110	
	Desktop Computers Medium End with Graphics Card	20 Nos
	12th Gen Intel® Core™ i5-12600 (18 MB cache, 6 cores, 12 threads, 3.30 GHz to 4.80 GHz Turbo Processor	
	16 GB, 2 x 8 GB, DDR4 Memory	
	512 GB M 2 2280 PCIo NVMa CCD Cl	
	512 GB M.2 2280, PCle NVMe, SSD Class 40 Hard drive, DVD	
	AMD Radeon™ 550, 2 GB GDDR5 Graphics Card	
	Wi-Fi wireless card with Antenna internal power supply unit	
	Windows 11 Home Single Language, English USB	
	Keyboard, USB Optical Mouse	
	21 inch LED Blacklit LED Monitor	
	3 year Onsite OEM Warranty	
	,	
	LAPTOP Medium End Win 11	
	Intel Core is 10th Gap 132511 B	21 Nos
	Intel Core i5 10th Gen 1235U Processor (1.6 GHz base frequency, 6 MB L3 cache, 4 cores)	
	Intel Integrated Chipset	a .
	8 GB DDR4 SD RAM	
	512 GB SSD	
	15.6 inch Full HD Screen15.6" diagonal, Full HD (1920 x	
	1080) IPS display	2000
	Intel UHD Graphics	CHMEEKING
	1 USB 3.1 Gen 1 Type-C (5 Gb/s signaling rate);	31.0F KERA
	2 USB 3.1 Gen 1 Type-A;	1-10 mgs 1.
	1 AC smart pin; 1 HDMI 1.4; 1 headphone/microphone combo ports	10100000
	1 multi-format SD media card reader	The state of the s
-	- Mart Format 3D media card reader	MA CONTENTS

	1 Carr	
	Mer.	
	HD camera with integrated digital microphone	
	Touchpad with multi-touch gesture support	
	Wireless communication support	
	AC Power Adapter, Li - ion battery	
	ENERGY STAR certified	
	Windows 11 Home 64	
	Slim and Light Weight	
ST. 14	Weight - 1.6 kg maximum	
4	Upto 10 hours battery back up 3 year onsite warranty and 1 year Accidental damage protection	
	3 year onsite warranty and 1 year Accident	
	Bag included	3 Nos
3.	WORK STATION	
	CPU: Intel Xeon Silver 4210R 2.4G, 10C/20T, 9.6GT/s, 13.75M	
	TIT (100(M) DDD) (10) MAX MEINOLY. TO DITTILL	
	129 GB (8 v 16GB) RDIMINI, Max HDD Scalability. Sp 19	
1	2 E. guot: Hot Plug Hard Drives, Tower Configuration	
	I I I Deixo 3 Noc Rain III Dulle, Live 117 30 1 1 1	
	a I Damas Chankly Hild Dillability of the	
	System Management: IDRAC9, Enterprise, Cardinal Packing, freight and installation charge (included), Warranty: 3 year	
	Packing, freight and installation critical	
	ProSupport 4Hr Mission Critical	
	Chap.	8 Nos
4.	Multimedia Projector	
	Technology: LCD,	
	Projection Method: Front and Rear both	
	Brightness (Lumens): 3200, contrast Ratio (Williams),	
	40000 Ontical 700m Ontical 400111 120 /0	
	Availability of Lens: Yes, Remotely Controlled 1957 Type of Projector: Standard Throw (0.91 to 2.5), Aspect Ratio: 16:9,	
	Keystone Correction:	
1	Automatic & Manual Both	
	ALL L. C	
	- CILLICATION NORMAL WILLIAM TO THE TOTAL	
	1 Duilth Vac Inhilli Speaker, 1657 mar-5	
	WIFI COMMECTIVELY. 1007	
	Sharry Vas Power Consumption in Sleep Mode (Watts): 1	
	Power Consumption in Normal Mode (Watt). 255 Noise Level in Echo Mode (dB): 30, Noise Level in Normal Mode (dB): 39),
	Noise Level III Echo Mode (45), 557	
	Power Supply: 210V-240V, 50 Hz	
	BIS Registration under CRS of Meity: Yes,	
	Maximum Weight: 2 kg.	
	Minimum Operating Temperature (Degree C): 5	
	Maximum Operating Temperature (Degree C): 40 Maximum Operating Temperature (Degree C): 40 Apprehing Humidity (% RH): 40 & 80	
	Maximum Operating Temperature (5.58) Minimum & Maximum Operating Humidity (% RH): 40 & 80 Minimum & Maximum Operating Humidity (% RH): 40 & 80	er
	On Site OEM Warranty for Light Source (Time or Life in Hours whichev	
	is earlier)	
	One Year or 1000 Hrs.	
5.0	On Site OEM Warranty: 2 years.	
1		

CPÜ: Calh

5. 86" Interactive Touch Display 3840 x 2160 (UHD) 1 nos Screen Size: 86 Inches Panel Technology: IPS Native Resolution: 3840 × 2160 (UHD) Brightness: Minimum 350cd/m2 with protection Glass Contrast Ratio: 1,200:1 or Higher Viewing Angle(H x V): 178 x 178 Surface Treatment: Anti-glare treatment Min Input ports : HDMI x 3, USB (3.0) x 3, USB (2.0) x 3, OPS Slot x 1, RGB (VGA)x 1, Gigabit LAN x 1, SPDIF x 1 or Higher Min Output Ports: Audio-1(Audio out to connect additional Speakers if required) External Control: Rs-232C Air Gap Between LCD Module& Glass: 1 mm or less should mentioned in OEM website. Protection Glass Thickness: 7H (Mohs) (Anti-Glare) Built in display standard OS: Android 8.0 or better Google CTS: Compatible/Approved to smooth interface Panel System on Chip: Internal Memory 32GB, Dual core A73+Dual core A53), (3GB) RAM Wi-Fi, Power Indicator, or higher Bluetooth Connectivity: Required Screen share :Screen Share connecting up to 30 mobile devices on the same network. Mira cast to connect TAB / Mobile / Laptop / PC. Min 6 simultaneous screens should be casted on display in any combination of Windows, Android, Mac OS (Apple devices) users Protection Glass Transmission: Min. 87% PCB Protective Coating: Conformal Coating on PCB to prevent from Humidity, Dust & Iron Particles Built in Audio Power:20W(10W x 2) or higher Power Supply: 100-240V~, 50/60Hz Power Consumption (Typ.): 370 W or less Product Quality Certifications: BIS, UL, CB / NTRL, ROHS India Certificates/ Approvals: IS09001, IS014001, OSHAS18001, E-Waste Accessory: Remote Controller with batteries, Power Cord, USB Cable and HDMI Cable. Writing Pen x 2pcs Installation type: Wall mount need to supply required accessories. Warranty: 3 years on Site Service Support: Bidder Should have office/service center in Kerala state. OEM to have at least one service center within 100 kilometers from the organization. Documentary evidence to be submitted along with tender documents. All the specifications should available on OEM website. Warranty should be Onsite. 6. Interactive Touch Display 3840 x 2160 (UHD) 6 Nos Screen Size: 65" or Higher Native Resolution: 3840 x 2160 (UHD) Brightness: Minimum 350cd/m2 with protection Glass Contrast Ratio: 1,200:1 or Higher Viewing Angle(H x V): 178 x 178 Surface Treatment: Anti-glare treatment Min Input ports: HDMI x 3,USB (3.0) x 3,USB (2.0) \times 3, OPS Slot x 1, RGB

(VGA)x 1, Gigabit LAN x 1, SPDIF x 1 or Higher

required)

Min Output Ports: Audio-1(Audio out to connect additional Speakers if

External Control: Rs-232C Air Gap Between LCD Module & Glass: 1 mm or less Protection Glass Thickness: 4T (Anti-Glare) Google CTS: Compatible/Approved to smooth interface Built in display standard OS: Android 8.0 or better Panel System on Chip: Internal Memory (32GB), (Hisi 811, Dual core A73+Dual core A53),3GB) RAM Wi-Fi, Power Indicator, or higher Screen share: Screen Share/Mira cast to connect TAB/Mobile / Laptop / PC. Min 6 simultaneous screens should be casted on display in any combination of Windows, Android, Mac OS (Apple devices) users Protection Glass Transmission: Min. 87% PCB Protective Coating: Conformal Coating on PCB to prevent from Humidity, Dust & Iron Particles Power Supply: 100-240V~, 50/60Hz Power Consumption (Typ.) 180 W or less Built in Audio Power: 20W(10W x 2) or higher Product Quality Certifications: BIS, UL, CB / NTRL, RoHS India Certificates/Approvals: IS09001, ISO14001, OSHAS18001, E-Waste Accessory: Remote Controller with batteries, Power Cord, QSG, Regulation Book. Installation type: Wall mount need to supply required accessories. Warranty: 5 years on Site. Manufacturer authorization letter required Service Support: The OEM should have state wide service network to for service support provide faster after sales support. OEM to have at least 10 service centers in a State. Documentary evidence to be submitted along with tender documents. 11 Nos A4 Multifuntion Laser Printer 7. Duplex + Network + Wifi Printer Number of Nozzles: Black: 640 nozzles (Optional Colour: 1 152 hozzles) Ink Bottles / Cartridges: GI-70 (Pigment Black)Optional: CL-741, CL741XL Printing Resolution: 600 (horizontal)" x 1 200 (vertical) dpi Printable Area, Warranty one year onsite Borderless Printing* Bordered Printing: #10 Envelope/DL Envelope: Top 8 mm / Bottom 12.7 mm / Right 5.6 mm / Left 5.6mm LTR / LGL:Top 3 mm / Bottom 5 mm / Right 6.3 mm / Left 6.4mm Others:Top 3 mm / Bottom 5 mm / Right 3.4 mm / Left 3.4mm Bordered Auto 2-Sided Printing: Top / Bottom margin: 5 mm, Left / Right margin: 3.4 mm (LTR: Left: 6.4 mm, Right: 6.3 mm) Rear Tray: Plain Paper (64-105g/m?), High Resolution Paper (HR-101N) Envelope Cassette: Plain Paper (64-105g/m?) Rear Tray: A4, A5, B5, LTR, LGL, Envelopes (DL, COM10), Card Size (91x55 mm) [Custom size] width 55 - 215.9 mm, length 89 - 676 mm Cassette: A4, A5, B5, LTR [Custom size] width 148.0 - 215.9 mm, length 210 - 297 mm Paper Handling (Number) Rear Tray: Plain Paper (A4, 64g/m?) = 100, High Resolution Paper (HR-

101N) = 80

Cassette: Plain Paper (A4, 64-105g/m?) = 250 Support Media for Auto 2-sided printing

Type: Plain Paper Size: A4, A5, B5, LTR Paper Weight

Rear Tray: Plain Paper: 64-105g/m? Cassette: Plain Paper: 64-105g/m?

Ink End Sensor: Electrode type and dot count type combined

Optional Colour Cartridge; Dot count Print Head Alignment: Auto/Manual

Network

Protocol: TCP/P, SNMP

Wired LAN

Network Type: IEEE802.3u (100BASE-TX) / IEEE802.3 (10BASE-T)

Data Rate: 10M/100Mbps (Auto switchable)

Wireless

Network Type: IEEE802.11n / IEEE802.11g / IEEE802.11b

Frequency Band: 2.4GHz

Channel*4: 1-13

Range:Indoor 50m Depends on the transmission speed and conditions)
Security: WEP64/128bit WPA-PSK (TKIP/AES) WPA2-PSK (TKIP/AES)

Direct Connection (Wireless LAN): Available

For more information contact :- office@geckkd.ac.in

TOZHIKOOLER

PRINCIPAL COLLEGE KOZHIKODE