QUOTATION NOTICE

Quotation Number	03/2023-24		
Due date and time for receipt of	31.01.2024; 1:00 PM		
quotations			
Date and time for opening	31.01.2024; 3:00 PM		
quotations	01.01.2024, 0.00 i W		
Date up to which the rates are to	31.07.2024		
remain firm for acceptance	31.07.2024		
Designation and address of officer	Principal, Government Polytechnic		
to whom the quotation is to be	College, Meenangadi, Meenangadi PO,		
addressed	Wayanad 673591		
Superscription: Quotation for the Supply of Equipments to Material			
<u>Testing Lab</u>			

Sealed quotations are invited for the supply of the Equipments for Material Testing Lab specified in the schedule attached below/ overleaf. The rates quoted should be for delivery of the articles at the place mentioned below the schedule. The necessary superscription, the due date for the receipt of quotations, the date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted above. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period requires for delivery of the article should also be mentioned. Quotations not stipulating period of firmness and with price variation clause and/or 'subject to prior sale' condition are liable to be rejected.

The acceptance of the quotations will be subject to the following condition:-

- 1. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specifications will entail cancellation of the orders and purchases being made at the officer's expense from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the Government reserves also the right to remove the defaulter's name from the list of government suppliers permanently or for a specified number of years.
- 2. No representation for enhancement for price once accepted will be considered during the currency of the contract.
- 3. Any attempt on the part of tenders or their agent to influence the officers concerned in their favour, by personal canvassing, will disqualify the tenderers.
- 4. The quotation may be for the entire or part supplies. But the tenders should be prepared to carry out such Portion of the supplies included in their quotation as may be allotted to them.
- 5.(a) In case where a successful tenders after having made partial suppliers fails to fulfill the contracts in full, all or any of the materials not supplied may, at the discretion of the purchasing officer, be purchased by means of another tender/quotation or by negotiation or from the next higher tenderer who had offered to supply already and the loss, if any caused to the Government shall thereby together with such sums as may be fixed by the government towards damage be recovered from the defaulting tenderer. The Prices quoted should be inclusive of all taxes, duties, cesses, etc., which are or may become payable by the contractor under existing or future laws or rules of the country of origin/supply or delivery during the course of execution of the contract.
- 6. The prices quoted should be inclusive of all taxes, duties, cessess etc. which are or may

become payable by the contractor under existing or future laws or rules of the country of origin/supply or delivery during the course of execution of the contract

- 7.Special conditions, if any, printed on the quotation sheets of the tenderer or attached with the tender will not be applicable to the contract unless they are expressly accepted in writing by the purchaser.
- 8. Items shall deliver at Store Section, Govt. Polytechnic College, Meenangadi

PRINCIPAL

Place: Meenangadi Date: 25.01.2023

Approval Valid

Digitally Approved By Vikas PN

Date: 11.01.2024 Reason: Approved

<u>Produ</u> Weigl	debound Hammer For Non Destructive Testing of Concrete. Specification Sht 1.7 Kg	
Weig		
1 -	ght 1.7 Kg	1
IS IT F	Daniela Daniela	
Meas	Portable Portable suring Range 10-100 N/Mm2	
	d Novotest	
	el Number Novotest SH-20	
1 1	suring Range of Strength 1-25 MPa	1
- 1	act Energy 196	
1 '	kness 30 And More	
Meas	surement Accuracy 10%	
Hardı	Iness 60 HRC	
Surfa	ace Roughness 40 Ra	
Radiu	us 25 Mm	
Opera	rating Temperature Range-20- +50 Degree C	
Di	rigital Vernier Caliper - 300mm	
<u>Produ</u>	uct Specification	
- 1	erial : Stainless Steel	
2 1	suring Range : 300 mm	1
Accui	rracy: +0015 inch	
1 '	lay Type: Digital	
'	ge/Application :Laboratory	
- 1	cing Type :Box Dution 0005 inch/0.01 mm	
- 1	ingle grinder 100mm	
- 1	uct Specification	
	Pimppion: 261101118	
3 I	Dimension: 261101118	1
- 1	xage Contents: 1 Angle Grinder Type: Angle Grinder	
	. , p 5	
	2"/300mm high Tension hacksaw frame	

4	Product Type: Hacksaw Frame	2
	Size 300mm (12")	
	Material :Mild Steel	
	Usage/Application: Industrial	
	Rotary Hammer Core Drill 1450W	
5	Product Specification	
	Drilling Diameter 32 mm	
	Impact Energy 10 J	1 1
	Power Consumption 1450W	1
	Weight 6.7kg	
	Load Speed 880r/min	
	Rated Voltage 220-240V	
	Rated Frequency 50/60Hz	

PRINCIPAL