

ഭരണഭാഷ - മാതൃഭാഷ

സാങ്കേതിക വിദ്യാഭ്യാസ ഡയറക്ടറേറ്റ്, തിരുവനന്തപുരം

dtekerala@gmail.com

0471 2561307

നടപടിക്രമം

സാങ്കേതിക വിദ്യാഭ്യാസം - സാങ്കേതിക വിദ്യാഭ്യാസ ഡയറക്ടറുടെ കാര്യാലയം, തിരുവനന്തപുരം - അക്കാദമിക് സെക്ഷൻ - സർക്കാർ വകുപ്പുകൾ/പൊതു മേഖല /ഗ്രാൻറ് ഇൻ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ മുഖേനയുള്ള നികുതിയേതര വരുമാനം - സേവന നിരക്കുകളിൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി ഉത്തരവ് - പുറപ്പെടുവിക്കുന്നു.

അക്കാദമിക് (എ) വിഭാഗം

നം.DTETVM/5438/2025-C2 (ACA)

തിരുവനന്തപുരം, തീയതി : 26-08-2025

വായന : -

1. സ.ഉ.(അച്ചടി) നമ്പർ 28/2019/ധന തീയതി 08.03.2019
2. ജി ഒ (പി) നം.409/2014/ഉ.വി.വ തീയതി .23.09.2014
3. ജി.ഒ (എംഎസ്) നം.311/2019/ഉ.വി.വ തീയതി .06.09.2019
4. 30.03.2019,28.05.2019,14.10.2019,30.12.2019,തീയതികളിലെ C2/11440/2019/DTE നമ്പർ ഉത്തരവ്
5. 17.07.2024 ലെ സ ഉ(അച്ചടി)നം.55/2024 ഫിൻ
6. 27.08.2024 തീയതിയിലെ ഈ ഓഫീസിലെ ഉത്തരവ് നമ്പർ. C2/29613/21/DTE
7. 22.03.2025 തീയതിയിലെ ഈ ഓഫീസിലെ ഉത്തരവ് നമ്പർ DTETVM/10465/2024/C2
8. ജി ഒ (ആർ ടി) നം. 612/2025/ഉ.വി.വ തീയതി 17/05/2025

ഉത്തരവ്

സംസ്ഥാനത്തിന്റെ സമഗ്രപശ്ചാത്തല വികസനത്തിനും സാമ്പത്തിക സുരക്ഷിതയ്ക്കും നികുതിയേതര വരുമാനത്തിൽ കാലാകാലങ്ങളിൽ വർദ്ധനവ് വരുത്തേണ്ടത് അനിവാര്യമായതിനാൽ സർക്കാർ വകുപ്പുകൾ/ പൊതുമേഖല ഗ്രാൻറ് ഇൻ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ മുഖേനയുള്ള എല്ലാ സേവനങ്ങൾക്കും സംസ്ഥാനത്തിന്റെ സമഗ്രപശ്ചാത്തല വികസനത്തിനും നിലവിൽ പ്രാബല്യത്തിലുള്ള ഫീസുകൾ/ ചാർജ്ജുകൾ എന്നിവയിൽ 01.04.2019 മുതൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി മേൽ വായന (1) പ്രകാരം സർക്കാർ ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു. പ്രസ്തുത സർക്കാർ ഉത്തരവിനെ അടിസ്ഥാനമാക്കി അതാത് വകുപ്പുകൾ/ പൊതുമേഖല/ എയിഡ് സ്ഥാപനങ്ങൾ എന്നിവ പുതുക്കിയ സേവന നിരക്കിൽ വ്യക്തമാക്കിയുള്ള പ്രത്യേക ഉത്തരവ് പുറപ്പെടുക്കേണ്ടതാണെന്ന് സർക്കാർ നിർദ്ദേശിച്ചതിന്റെ അടിസ്ഥാനത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ നിലവിലുള്ള സേവന നിരക്കുകളിൽ 1.04.2019 പ്രാബല്യത്തിൽ അഞ്ചു ശതമാനം വർദ്ധനവ് വരുത്തി മേൽ വായന (4) പ്രകാരം ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു.

ഓരോ വകുപ്പിലെയും നികുതിയേതര വരുമാനം വർദ്ധിപ്പിക്കുന്നതിനായി വിവിധ ഫീസുകൾ/ ഫൈനുകൾ/ സർവ്വീസ് ചാർജ്ജുകൾ എന്നിവ കാലാനുസൃതമായി വർദ്ധനവ് വരുത്തുവാൻ അതതു വകുപ്പിനെ ചുമതലപ്പെടുത്തിക്കൊണ്ട് വായന (5) പ്രകാരം സർക്കാർ ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു. ആയതിന്റെ അടിസ്ഥാനത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ പ്രാബല്യത്തിലുള്ള സേവന നിരക്കുകളിൽ 2021-22, 2022-23, 2023-24 2024-2025 എന്നീ വർഷങ്ങളിൽ അഞ്ചു ശതമാനം വീതം വർദ്ധനവ് വരുത്തി വായന (6) (7) പ്രകാരം ഉത്തരവ് പുറപ്പെടുവിച്ചിരുന്നു.

വായന (5) ലെ ഉത്തരവ് പ്രകാരം 2025 - 26 വർഷത്തിൽ സാങ്കേതിക വിദ്യാഭ്യാസ വകുപ്പിൽ പ്രാബല്യത്തിലുള്ള ഇതോടൊപ്പമുള്ള പട്ടികയിൽ വിവരിക്കുന്ന സേവന നിരക്കുകൾ ഈ ഓർഡർ തീയതി മുതൽ പ്രാബല്യത്തിൽ വർദ്ധനവ് വരുത്തി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു. ഇതിൽ ഉൾപ്പെടുത്താതെ ഏതെങ്കിലും ഫീസ് ഇനം ഉള്ള സ്ഥാപനങ്ങൾ ആ വിവരം അറിയിക്കേണ്ടതാണ്.

സൂചന (7) പ്രകാരമുള്ള നടപടിക്രമം മേൽ ഭേദഗതിയോടെ നിലനിൽക്കുന്നതാണ്.

JAYAPRAKASH P
DIRECTOR (FULL ADDITIONAL CHARGE)

സ്വീകർത്താവ്,

1. ഈ വകുപ്പിന് കീഴിലുള്ള എല്ലാ സ്ഥാപനമേധാവികൾക്കും ബന്ധപ്പെട്ട ജീവനക്കാർക്കും (www.dtekerala.gov.in എന്ന വെബ്സൈറ്റ് മുഖാന്തിരം).
2. സുപ്രണ്ട്, ഫിൻ എ/ ഫിൻ ബി/ ഓഡിറ്റ് സെക്ഷൻ ,
3. സ്റ്റോക്ക് ഫയൽ / ഓഫീസ് കോപ്പി

Signed by
Jayaprakash P
Date: 26-08-2025 10:27:44

ക്രമ നമ്പർ	ഇനം	അവസാനം പരിഷ്കരിച്ച നിരക്ക് പ്രാബല്യത്തിൽ വന്ന ഉത്തരവ്, തീയതി		5% വർദ്ധനവ് വരുത്തിയ നിരക്ക് 2025-26	കുറിപ്പ്(rounded figure)with effect from order date
1	Starting of KGCE Course				
	Institution Recognition Fee	19150	C2/29613/2021/DTE dated:27/08/2024	20108	20110
	Initial Course Recognition Fee (upto 4 branch)	8000	C2/29613/2021/DTE Dated:27/08/2024	8400	8400
	Initial Recognition Fee for each additional branch	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
	Renewal of Recognition Fee	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
	Management Ownership Change Fee	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
2	Starting of KGTE Course				
	Inspection fee for Initial Recognition	610	C2/29613/2021/DTE dated:27/08/2024	641	650
	fee for Recognition	310	C2/29613/2021/DTE dated:27/08/2024	330	330
	Renewal of Provisional Recognition	250	C2/29613/2021/DTE dated:27/08/2024	263	270
	Shifting of the School from one place to another	610	C2/29613/2021/DTE dated:27/08/2024	641	650
3	KGCE-Fine Arts & Animation				
	Initial Recognition & Inspection Fee	680	C2/29613/2021/DTE dated:27/08/2024	714	720
	Extension/Renewal	680	C2/29613/2021/DTE dated:27/08/2024	714	720
Miscellaneous Fees(For all Examinations as Applicable)					

4	Migration Certificate	200	C2/29613/2021/DTE dated:27/08/2024	210	210
5	Revision Change(Change of Scheme)	640	C2/29613/2021/DTE dated:27/08/2024	672	680
6	Fee for Duplicate Documents				
	Certificate	580	C2/29613/2021/DTE dated:27/08/2024	609	610
	Marklist/Grade Card	200	C2/29613/2021/DTE dated:27/08/2024	210	210
7	Fee for Triplicate Documents				
	Certificate	1000	C2/29613/2021/DTE dated:27/08/2024	1050	1050
	Mark list/Grade Card	260	C2/29613/2021/DTE dated:27/08/2024	273	280
8	Fee for Correcting the documents				
	Spelling Correction in Certificate	580	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	580	Fee revised on 22.03.2025
	Spelling correction in Marklist/Grade Card	200	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	200	Fee revised on 22.03.2025
9	Duplicate Hall Ticket	70	C2/29613/2021/DTE dated:27/08/2024	74	80
10	Verification of Mark lists/Grade Card & Certificates (Applicable only to Private Agencies)	1300	C2/29613/2021/DTE dated:27/08/2024	1365	1370
11	Documents Search Fee	130	C2/29613/2021/DTE dated:27/08/2024	137	140
12	Transcripts	1300		1365	1370

13	Late fee for T.C	100	C2/29613/2021/DTE dated:27/08/2024	105	110
14	Fine for duplicate T.C	200	C2/29613/2021/DTE dated:27/08/2024	210	210
15	Condonation(for all course)				
	a, First	590	C2/29613/2021/DTE dated:27/08/2024	620	620
	b, Second	875	C2/29613/2021/DTE dated:27/08/2024	919	920
	c, Third	1160	C2/29613/2021/DTE dated:27/08/2024	1218	1220
16	Consolidated mark list / Grade card (Revision 2003& 2006)	200	DTETVM/10465/2024-C2 (ACA) dated:22/03/2025	200	Fee enhanced on 22.03.2025
SELF FINANCING COURSES					
17	Certificate in Fire & Industrial Safety(One Year)				
	Initial Recognition Inspection Fee	19150	C2/29613/2021/DTE dated:27/08/2024	20108	20110
	Initial Recognition Fee	8000	C2/29613/2021/DTE dated:27/08/2024	8400	8400
	Shifting of Institution Fee	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
	Renewal of Recognition Fee	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
	Management Ownership Change Fee	3200	C2/29613/2021/DTE dated:27/08/2024	3360	3400
18	Hostel				
	Rentals for letting out rooms (Guest Charges)	100	C2/29613/2021/DTE dated:27/08/2024	105	110
19	Building/Ground rent				
	Rent of Lecture Hall per day	400	C2/29613/2021/DTE dated:27/08/2024	420	420
	Electricity charges	100		105	110
	Rental for College Auditorium with a seating capacity of less than 500 per day	1535	C2/29613/2021/DTE dated:27/08/2024	1612	1620
	Electricity charges	400		420	420
	Rental for College Auditorium having	2400		2520	2520
		500		525	530

	seating capacity of more than 500 per day + Electricity Charges		C2/29613/2021/DTE dated:27/08/2024		
	If the Auditorium is Air Conditioned + Electricity charges	4800 975	C2/29613/2021/DTE dated:27/08/2024	5040 1024	5040 1030
	Rate for film shooting including TV serials in the College premises (per day)	8000	C2/29613/2021/DTE dated:27/08/2024	8400	8400

ADDITIONAL CHARGE)

JAYAPRAKASH P
DIRECTOR (FULL

Signed by
Jayaprakash P
Date: 26-08-2025 10:23:04

Testing Charges						
	അവസാനം പരിഷ്കരിച്ച നിരക്ക് w.e.f 27.08.2024		അവസാനം പരിഷ്കരിച്ച നിരക്ക് പ്രാബല്യത്തിൽ വന്ന ഉത്തരവ്, തീയതി	പുതുക്കിയ നിരക്ക്	വർധനവിന്റെ നിരക്ക്	Remark (rounded figure) (ഉത്തരവ് തീയതി മുതൽ പ്രാബല്യത്തിലുള്ള നിരക്ക്)
1	Cement and concrete	നിരക്ക്				
	Consistency, Initial setting time, Final setting time, Compressive strength	3000	C2/29613/2021/DTE dated.27.08.2024	3750	25%	3800
	Compression test on Cement Concrete cubes and Cylinders(min 3 Nos.)	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
	Flexure test on cement concrete standard beams	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
2	Tiles					
	Absorption test on tiles of 3 number or less	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Transverse test on tiles of 3 numbers or less	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	Mosaic tiles-breaking loads(wet and dry of three numbers or less)	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Abration test for flooring tiles including preparation of the specimen from the supplied samples	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1300
	Ceramic(glazed) tiles complete tests including bending, absorption and impact strength	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
3	Paving Block					

	Compression test	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Absorption Test(min 3 nos.)	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
4	Tests on wood Transverse test Com pression Test Moisture content	1400	C2/29613/2021/DTE dated.27.08.2024	1750	25%	1750
5	Aggregates (Coarse)					
	Fineness modulus	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
	Sieve analysis	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
	Abrasion test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	Impact test	1300	C2/29613/2021/DTE dated.27.08.2024	1625	25%	1650
	Crushing test	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	Specific gravity and Absorption Test	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	Bulk density	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Soundness test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	Flakiness Index	650	C2/29613/2021/DTE dated.27.08.2024	975	50%	1000
	Elongation Index	650	C2/29613/2021/DTE dated.27.08.2024	975	50%	1000
	Percentage of voids	650	C2/29613/2021/DTE dated.27.08.2024	975	50%	1000
	CBR	8250	C2/29613/2021/DTE dated.27.08.2024	10320	25%	10350
	Gradation(Wet)	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
6	Sand or Fine aggre gate					
	Fineness modulus	950	C2/29613/2021/DTE dated.27.08.2024	1425	50%	1450
	Sieve analysis	950	C2/29613/2021/DTE dated.27.08.2024	1425	50%	1450

	Specific gravity and Absorption Test	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	Percentage of voidfs	650	C2/29613/2021/DTE dated.27.08.2024	975	50%	1000
	Bulking factor	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	bulk density	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
7	Bitumen					
	Ductility	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
	Penetration	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
	Abar's flash point	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	Softening point	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
	Viscosity	1600	C2/29613/2021/DTE dated.27.08.2024	2000	25%	2000
	Sp.Gravity	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
	Extraction	3500	C2/29613/2021/DTE dated.27.08.2024	4375	25%	4400
	Fatigue test	12100	C2/29613/2021/DTE dated.27.08.2024	13915	15%	13920
	Stiffness test	12100	C2/29613/2021/DTE dated.27.08.2024	13915	15%	13920
	Dynamic Cone Penetration	1600	C2/29613/2021/DTE dated.27.08.2024	2000	25%	2000
	Creep	12100	C2/29613/2021/DTE dated.27.08.2024	13915	15%	13920
	Mastic Asphalt Harn ess Tester	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6250
8	Bumb Integrator	6600	C2/29613/2021/DTE dated.27.08.2024	8250	25%	8250
9	Merlin	4150	C2/29613/2021/DTE dated.27.08.2024	5190	25%	5200
10	Clug Impact Testin g	1600	C2/29613/2021/DTE dated.27.08.2024	2000	25%	2000
11	Benkleman beam D eflexion	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
12	Core Cutter	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
13	Geogauge	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6300

14	Portable type Weigh Bridge	3300	C2/29613/2021/DTE dated.27.08.2024	4125	25%	4150
15	Silt and Clay Content	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1300
16	Metals					
	Taking weight per meter of steel rods (Average of 6 numbers)	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	Tension test-Yield strength, Ultimate strength, % elongation	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Tension test for ultimate load in welded joints/wire	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1300
	Tension test for ultimate load in wire ropes	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1300
	Thickness measurement of metal sheets (Average of 6 numbers)	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	Cold Bending test	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	Hardness test-Single specimen	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	800
	Hardness test-average of 3 sets	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1150
	Impact test-Single specimen	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	Impact test-average of 3 sets	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
	Shear test	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Fatigue test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Rivet test	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	800
	Testing of springs (Tension or Compression)	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
17	Bricks					
	Taking measurements for one brick (Average of 6 numbers)	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400

	Efflorescence test on brick	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
	Absorption test on bricks	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	Transverse test on bricks	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
18	Calibrations of machine (T.A and D.A for one teaching staff and one non teaching staff extra if at other stations)	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6300
19	Transverse test on Rocks	450	C2/29613/2021/DTE dated.27.08.2024	675	50%	700
20	Testing Charges					
	Sulphate	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Chloride	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	Iron	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Total Solids	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1200
	pH	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
	Total suspended solids	850	C2/29613/2021/DTE dated.27.08.2024	1275	50%	1300
	Total dissolved solids	850	C2/29613/2021/DTE dated.27.08.2024	1275	50%	1300
	Organic contents in solids	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Inorganic content in solids	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
	Acidity	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	Alkanity	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	Hardness	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	Nitrates	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	MPN	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900

21	Testing of soil					
	Sulphate	1000	C2/29613/2021/DTE dated.27.08.2024	1250	Soil testing for individual 50%. Soil test for agriculture purpose and construction for residential purpose	1250
	Chloride	1200	C2/29613/2021/DTE dated.27.08.2024	1500		1500
	Iron	1000	C2/29613/2021/DTE dated.27.08.2024	1250		1250
	Organic contents in solids	750	C2/29613/2021/DTE dated.27.08.2024	1125		1150
	pH	600	C2/29613/2021/DTE dated.27.08.2024	900		900
	Nitrates	1200	C2/29613/2021/DTE dated.27.08.2024	1500		1500
22	Heavy metal per sample using Atomic absorption spectrometer	1200 per heavy metal	C2/29613/2021/DTE dated.27.08.2024	1500 per heavy metal	25%	1500
23	Heavy metal(Mercury) per sample using atomic Absorption Spectrophotometer	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
24	BOD per sample	1100	C2/29613/2021/DTE dated.27.08.2024	1375	25%	1400
25	COD per sample	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
26	TOC (using TOC Analyzer)	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
27	Consolidation of soil					
	a) Coefficient of consolidation	4150	C2/29613/2021/DTE dated.27.08.2024	5188	25%	5200
	b) Compress index	6600	C2/29613/2021/DTE dated.27.08.2024	8250	25%	8250
28	Permeability test on soil	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
29	Unconfined compression test on soil	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
30	Specific Gravity of soil	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
31	Dry Sieve analysis of soil	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	Wet Sieve analysis of soil	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500

32	Hydrometer analysis of soil	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
33	Aterberg limits					
	a) Liquid limit	1200	C2/29613/2021/DTE dated.27.08.2024			
	b) Plastic limit			1500	25%	1500
	c) Shrinkage limit					
34	Triaxial test (UU)	6600	C2/29613/2021/DTE dated.27.08.2024	8250	25%	8250
35	Moisture content of soil(sealed sample)	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
36	Direct shear test	3300	C2/29613/2021/DTE dated.27.08.2024	4125	25%	4150
	DEPARTMENT OF ELECTRICAL ENGINEERING					
1	Insulators					
	1. Power frequency-Dry one minute with stand test (two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	2. Power frequency-Dry flash over Test (two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	3. Power frequency-wet one minute withstand test (two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	4. Power frequency-wet flash over Test (two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	5. Puncture test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
2	Bushings					
	1. Power frequency-dry withstand test two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	2. Power frequency-wet withstand test(two units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	3. Visible discharge test (two Units)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
3	Isolators					

	1. Power frequency-dry withstand test(between poles)two units	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	2. Power frequency-dry withstand test Poles to ground(two units)	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	3. Power frequency-wet withstand test between poles(two units)	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	4.Power frequency-wet withstand testpoles to ground(two units)	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	5. Temperature rise test upto 500A	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
4	Power Transformer					
	High Voltage test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
5	Lightning Arrestors					
	1. 50 cycles gap-flash over test in complete arrestor	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	2. Leakage current at maximum operating voltage	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
6	Oils and liquid dielectric					
	Dielectric strength(per sample)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
7	Three phase induction motors(upto 15 hp)					
	1.Measurement of resistance	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
	2.No-load running of motor and reading of voltage,current,power input and speed.	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900

	3. Locked rotor reading of voltage, current power input and torque	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
	4. Temperature rise test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	5. High voltage test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	6. Insulation resistance test	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
	For Conducting all tests Rs.2000/- per Unit					
8	Integrating meters					
	a) Single phase 2- wire whole current watt hour meters					
	1. Insulation resistance test	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	2. High Voltage test	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	3. Non-registration with voltage alone	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	4. Starting	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	5. Limits of error	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	6. Temperature rise	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	7. Effect of variation of voltage	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	8. Effect of variation of frequency	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	9. Effect of external magnetic field	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	10. Adjustment	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	11. Continuous current	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	12. Effect of short circuit	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	13. Sustained accuracy	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900

	b) Three Phase 2-wire whole current watt hour meters					
	1. Insulation resistance test	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	2.High Voltage test	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	3.Non-registration w ith voltage alone	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	4.Starting	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	5.Limits of error	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	6.Temperature rise	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	7.Effect of variation of voltage	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	8.Effect of variation of frequency	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	9.Effect of oblique s uspensions	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	10.Effect of external magnetic field	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	11.Adjustment	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	12.Continuous curre nt	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	13.Effect of Short cir cuit	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
	14. Sustained a ccuracy	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
9	Electric fuses upto 650V					
	1. High Voltage te st (3 samples)	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	2. Insulation resistance test (3 samples)	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	3. Temperature rise test upto 100A(3 samples)	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	4. Temperature rise test above 100A(3 samples)	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500

10	Electric fuses above 650V					
	1. Insulation resistance test (2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	2. High Coltage test-dry withstand test(2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	3.High Voltage test-wet withstand test (2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	4.Temperature rise test (2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
11	Non-metallic rigid conductors for electrical installations(3 samples)					
	1. Dielectric strength	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	2.Insulation test	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
12	a) PVC Cables up to 6mm² (2 samples)					
	1.High Voltage test(2 Samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	2.Resistance mesurement(2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	3. Insulation resistance test(2 samples)	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	4. Volume Resistivity test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	5. Flammability test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	6. Wrapping test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
	7. For conducting Complete Test (2 Samples)	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6250
	b) PVC Cables from 6mm² to 185 mm² (2 samples)					

1.High Voltage test (2 samples)	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6250
2. Resistance measurement(2 samples)	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
3. Insulation resistance test(2 samples)	2500	C2/29613/2021/DTE dated.27.08.2024	3125	25%	3150
4. Volume Resistivity test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
5.Flammability test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
6.For conducting complete test (2 samples)	12100	C2/29613/2021/DTE dated.27.08.2024	13915	15%	13920
c) PVC Cables above 185 mm² (2 samples)					
1.High Voltage test (2 samples)	8250	C2/29613/2021/DTE dated.27.08.2024	10312	25%	10320
2.Resistance measurement(2 samples)	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
3.Insulation resistance test (2 samples)	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
4.Volume Resistivity test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
5.Flammability test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
d) XLPE Cables up to 185 mm² (2 samples)					
1. High Voltage test (2 samples)	8250	C2/29613/2021/DTE dated.27.08.2024	10320	25%	10320
2.Resistance measurement (2 samples)	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
3.Insulation resistance test (2 samples)	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
4.Volume Resistivity test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
5.Flammability test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
d) XLPE Cables above 185 mm² (2 samples)					

	1. Resistance measurement (2 samples)	8250	C2/29613/2021/DTE dated.27.08.2024	10312	25%	10320
	2. Insulation resistance test (2 samples)	8250	C2/29613/2021/DTE dated.27.08.2024	10312	25%	10320
	3. Volume Resistivity test	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
	4.. Flammability test	4150	C2/29613/2021/DTE dated.27.08.2024	5187	25%	5190
13	Batteries-Lead Acid type with Electrolyte					
	1. Test for capacities	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
	2. Charging and Testing for capacities	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	3. Retention of charge	2100	C2/29613/2021/DTE dated.27.08.2024	2625	25%	2650
14	Tests on Press boards, Varnished cloth and other insulating materials(3 samples)					
	1. Electric Strength	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	2. Puncture	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
15	Measurement of Resistance, Inductance, Capacitance, Permeability etc.	Rs.120/- for each test	C2/29613/2021/DTE dated.27.08.2024	180/- for each test	50%	200
16	Additional Items					
	Calibration of multi range meters- Rs.250/- for every additional range	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
17	Chokes					
	1. Temperature rise test	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
	2. High Voltage test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	3. Insulation resistance test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
			C2/29613/2021/DTE			

	4.Power measurement	250	dated.27.08.2024	375	50%	400
18	Starters					
	1.Starting test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	2. High Voltage test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
19	M.V.Ballasts					
	1. Temperature rise test	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	2. Test fuse current	400	C2/29613/2021/DTE dated.27.08.2024	600	50%	600
	3. High Voltage test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	4. Insulation resistance test	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
20	Capacitor for M.V Lamps					
	1. High Voltage test to container	250	C2/29613/2021/DTE dated.27.08.2024	375	50%	400
	2. Capacitance measurement	500	C2/29613/2021/DTE dated.27.08.2024	750	50%	750
	3. Thermal stability test	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
DEPARTMENT OF MECHANICAL ENGINEERING						
1	Viscosity Index for Petroleum products	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
2	Flash & Fire point for petroleum products	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
3	Calorific Value of Fuels	1500	C2/29613/2021/DTE dated.27.08.2024	1875	25%	1900
4	Testing of Centrifugal pumps	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
5	Testing of reciprocating Pumps	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
6	Diesel Engine Testing upto 10 HP	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6250
	10 to 25 HP	6600	C2/29613/2021/DTE dated.27.08.2024	8250	25%	8250
	25 to 50 HP	8300	C2/29613/2021/DTE dated.27.08.2024	10375	25%	10400

7	Testing of water meters acceptance test	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
8	Pressure Gauge					
	below 5 Kg 1 cm ²	750	C2/29613/2021/DTE dated.27.08.2024	1125	50%	1150
	above 5 Kg 1 cm ²	1450	C2/29613/2021/DTE dated.27.08.2024	1813	25%	1820
9	Calibration and adjustment of Pressure gauge	1600	C2/29613/2021/DTE dated.27.08.2024	2000	25%	2000
10	Diesel Engine nozzle testing	1200	C2/29613/2021/DTE dated.27.08.2024	1500	25%	1500
11	Radiator Performance testing	1000	C2/29613/2021/DTE dated.27.08.2024	1250	25%	1250
12	Petrol Engine Testing					
	0-10 HP	6600	C2/29613/2021/DTE dated.27.08.2024	8250	25%	8250
	10-25 HP	8250	C2/29613/2021/DTE dated.27.08.2024	10313	25%	10320
	25-50 HP	9900	C2/29613/2021/DTE dated.27.08.2024	12375	25%	12400
13	Pipe testing					
	0.5 inches to 2 inches	3300	C2/29613/2021/DTE dated.27.08.2024	4125	25%	4150
	2.5. inches to 10 inches	5000	C2/29613/2021/DTE dated.27.08.2024	6250	25%	6250
14	Pollution Testing					
	1. Petrol Vehicles	100	C2/29613/2021/DTE dated.27.08.2024	150	50%	150
	2. Diesel Vehicles	200	C2/29613/2021/DTE dated.27.08.2024	300	50%	300
15	Performance Testing of refrigerators	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
16	Performance of air conditioners	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500

17	Fuel Consumption test for automobiles					
	Motor cycles	600	C2/29613/2021/DTE dated.27.08.2024	900	50%	900
	Light Motor Vehicles	2000	C2/29613/2021/DTE dated.27.08.2024	2500	25%	2500
	Mini Buses/Jeeps	3300	C2/29613/2021/DTE dated.27.08.2024	4125	25%	4150

JAYAPRAKASH P

DIRECTOR (FULL

ADDITIONAL CHARGE)

Signed by

Jayaprakash P

Date: 26-08-2025 10:26:13