

D2/10120/23/GECTCR (I)
21.12.2023

EXTENSION TENDER NOTICE

Sealed tenders are invited for Purchase of Ball Mill for Chemical Engineering Department
Approximate cost Rs 1,50,000

Specification separately attached in website : www.gectcr.ac.in

The envelopes containing the tender should bear the superscription "Tender No.D2/57/23-24 due on 01/02/2024 2 pm and should be addressed to the Principal, Government. Engineering. College, Thrissur, Kerala..

Last date for receipt of tenders will be 01/02/2024 2.00 pm Late tenders will not be accepted. The tenders will be opened at Government Engineering College Thrissur on 02/02/2024 2.00 PM in the presence of such of the tenderers or their authorized representatives who may be present at that time. Intending tenderers may, on application to the Principal, Govt. Engineering. College, Thrissur, obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of Rs.472/-(400+18%GST) + postal charge which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 2.00 pm on 01/02/2024 Cheques, postage stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P.

Tenders should be accompanied by an EMD of 1%, i.e., Rs. 1500/-, of the amount by DD drawn in favour of the Principal, Government Engineering College, Thrissur, with an agreement in Kerala stamp paper worth s. 220/-. Details can be obtained from the Govt. Engineering College Office during normal business hours.

Government Engineering College Thrissur

S/d

Principal

Copy to

1. Notice Board
2. HOD, Chemical Engineering Department

Approval Valid

Digitally Approved By

Lijo Vincent

Date: 05.01.2024

Reason: Approved

The document is digitally approved. Hence signature is not needed.

SL NO	ITEM WITH SPECIFICATION	QUANTITY
1	<p>Ball Mill</p> <p>Specifications:</p> <p>Ball mill with variable speed and Noise reduction</p> <p>Drum</p> <p>Material: MS/SS</p> <p>Dia : 250- 275 mm</p> <p>Length: 300-350mm</p> <p>Balls- SS</p> <p>FHP AC motor with AC Drive</p> <p>With facility for RPM measurement (non contact) and energy measurement</p> <p>Digital display for RPM and Energy</p> <p>The set up should be with silent canopy and the whole set-and should be arranged on a rigid structure</p>	1